



Attorney Docket No. 1830.1005

cojc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Takeaki SASAKI et al.

Application No.: 10/538,169

ATTENTION

Confirmation No.: 1709

CERTIFICATE OF CORRECTION

Filed: June 9, 2005

BRANCH

U.S. Patent No.: 7,566,388

Issued: July 28, 2009

For: ELECTRODE CATALYST FOR OXYGEN REDUCTION AND GAS DIFFUSION
ELECTRODE

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate
SEP 29 2009
of Correction

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

Sept. 24 2009

By:

Mark J. Henry
Mark J. Henry
Registration No. 36,162

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,566,388

DATED : July 28, 2009

INVENTOR(S) : Takeaki SASAKI et al.

First Page, Column 2 (Other Publications), Line 3, change "Cehmical" to --Chemical--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,566,388

No. of add'l copies
@ 50¢ per page

⇒